

AD-A085 381

NAVAL OCEANOGRAPHIC OFFICE NSTL STATION NS
SURFACE CURRENTS, NORTHWEST CENTRAL SOUTH PACIFIC OCEAN.(U)
NOV 77

F/8 8/3


UNCLASSIFIED

N00-SP-1403-SP-2


ML

1 (A) 1

N00-SP-1403-SP-2



END
DATE
FILMED
7-80
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

NAVAL OCEANOGRAPHIC OFFICE SPECIAL PUBLICATION 1403-SP 2

SURFACE CURRENTS

(12) LEVEL II

NORTHWEST CENTRAL SOUTH PACIFIC OCEAN

AD 85381



NOVEMBER 1977
NAVAL OCEANOGRAPHIC OFFICE

DTIC
S-111111

ABSTRACT

THIS STUDY, AND THE DESIGN OF WHICH IS IN A FORM, IS CON-
SIDERED COMPLETE AND SUFFICIENTLY SIMPLE. IT IS AVAILABLE TO
THE USER THE FIRST SECTION, WHICH COVERS THE DESIGN AND WILL BE
CONSIDERED SUFFICIENTLY SIMPLE. IT IS AVAILABLE TO THE USER
FIRST. THE SECOND SECTION, WHICH COVERS THE DESIGN OF A FIRST SECTION OF
THE DESIGN, IS THE SECOND SECTION, WHICH COVERS THE DESIGN OF THE FIRST
SECTION OF THE DESIGN.

THE DESIGN OF THE FIRST SECTION, WHICH COVERS THE DESIGN OF THE
FIRST SECTION, IS THE FIRST SECTION, WHICH COVERS THE DESIGN OF THE
FIRST SECTION, WHICH COVERS THE DESIGN OF THE FIRST SECTION, WHICH
COVERS THE DESIGN OF THE FIRST SECTION, WHICH COVERS THE DESIGN OF
THE FIRST SECTION, WHICH COVERS THE DESIGN OF THE FIRST SECTION.

DISCLAIMER NOTICE

**THIS DOCUMENT IS BEST QUALITY
PRACTICABLE. THE COPY FURNISHED
TO DTIC CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.**

6
SURFACE CURRENT
NORTHWEST CENTRAL SOUTH PACIFIC



11 **NOVEMBER 1977**
REPRINTED 1980

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

NAVAL OCEANOGRAPHIC OFFICE
NSTL STATION, MISSISSIPPI 39522

14/ NOO-SP-1403-SP-2

E CURRENTS, L SOUTH PACIFIC OCEAN.



ENCLOSURE 77

PRINTED 1980

RELEASE; DISTRIBUTION UNLIMITED.

NOGRAPHIC OFFICE
J, MISSISSIPPI 39522

25045

2 m

ACKNOWLEDGMENTS

Messrs. Raymond J. Beauchesne* and William E. Boisvert made major contributions to this atlas.

*Mr. Beauchesne presently is employed by the Bureau of Naval Personnel.

FOREWORD

THIS ATLAS, ONE IN A SERIES OF 43 REGIONAL SURFACE IS PRODUCED TO FULFILL A NEED OF NAVY PLANNING STAFFS AND THE INDUSTRIAL COMMUNITIES FOR THE LATEST AVAILABLE OCEAN SURFACE. THESE ATLASES ADD TO THE WEALTH OF NAUTICAL INFORMATION UPON TIONAL PLANNING, NAVIGATIONAL SAFETY, AND SHIPPING ECONOMY. PRODUCTION AND WIDE DISSEMINATION OF THIS ATLAS ARE MADE POSSIBLE BY THE LATEST COMPUTER TECHNIQUES.

THE CONSTANT IMPROVEMENT IN THE QUALITY OF SURFACE INFORMATION RECEIVED OVER THE YEARS IS MADE POSSIBLE LARGELY BY THE MORE OF VOLUNTARY OBSERVERS IN RECENT YEARS. THE DEFENSE MAPPING AGENCY, OCEANOGRAPHIC OFFICE, AND THE USER OF THE ATLASES RELY ON THE OBSERVATIONS OF THE MAN WHO HAS "BEEN THERE." MARINERS, IN RENDERING OBSERVATIONS, RENDER A SERVICE NOT ONLY TO THEMSELVES BUT ALSO TO THE GOVERNMENT AND THE SEA IN SHIPS." WITH THE ADVENT OF NUCLEAR POWER, NAVIGATION AIDS, AND 300,000-TON SHIPS, UP-TO-DATE, RAPIDLY AVAILABLE ENVIRONMENTAL AND NAVIGATIONAL INFORMATION HAS BECOME INCREASINGLY IMPORTANT.

John R. McDonnell
JOHN R. McDONNELL
Captain, U.S. Navy
Commander

FOREWORD

IN A SERIES OF 43 REGIONAL SURFACE CURRENT ATLASES, THE DEFENSE MAPPING AGENCY HAS PROVIDED THE LATEST AVAILABLE OCEAN SURFACE CURRENT DATA. THE HEALTH OF NAUTICAL INFORMATION UPON WHICH OPERATIONAL SAFETY, AND SHIPPING ECONOMY DEPEND. RAPID ACQUISITION OF THIS ATLAS ARE MADE POSSIBLE BY THE

IMPROVEMENT IN THE QUALITY OF SURFACE CURRENT DATA HAS BEEN MADE POSSIBLE LARGELY BY THE MORE THOROUGH REPORTS OF RECENT YEARS. THE DEFENSE MAPPING AGENCY, THE USER OF THE ATLASES RELY ON THE PERSONAL OBSERVATIONS OF MARINERS, IN REPORTING THEIR PRESENCE "BEEN THERE." MARINERS, IN REPORTING THEIR PRESENCE NOT ONLY TO THEMSELVES BUT ALSO TO ALL "WHO KNOW." WITH THE ADVENT OF NUCLEAR POWER, ELECTRONICALLY-CONTROLLED SHIPS, UP-TO-DATE, RAPIDLY DISSEMINATED NAUTICAL INFORMATION HAS BECOME INCREASINGLY IMPORTANT.

John R. McDinnell
JOHN R. McDINNELL
Captain, U.S. Navy
Commander

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DOC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. and/or SPECIAL
A	23P

2

SURFACE CURRENT ATLASES


THIS SERIES OF COMPUTERIZED ATLASES REPLACES THE OLD HYDROGRAPHIC OFFICE ATLASES OF SURFACE CURRENTS (HOP 566, 568, 569, 570) WHICH WERE MANUALLY COMPILED FROM DATA OBTAINED DURING THE PERIOD 1903 - 1934. THESE NEW ATLASES CONFORM TO THE STANDARD NAVY OCEAN AREA AND REGION INDEX LIMITS SHOWN BELOW: e.g., NOO SP 1402-NP 10 COVERS NORTH PACIFIC REGION 10 EAST OF THE PHILIPPINES.

AS AMOUNTS OF NEW DATA WARE

THESE GRAPHICS MAY NOT COVER AREAS AS THE NORTH SEA, WHERE CURRENTS ARE STRONGLY TIDAL AND PREDICTABLE HOURLY CHANGES

RECENT IMPROVEMENTS IN THE DATA FILE ASSURE THE INCLUSION OF THE LATEST, HIGH QUALITY SURFACE CURRENT DATA AVAILABLE. THE FILE NOW CONTAINS MORE THAN 4,200,000 OBSERVATIONS AND A GENERAL UPDATE OF THE FILE WILL BE MADE

INDEX



SURFACE CURRENT ATLASES

2


PHIC OFFICE
R'ALLY
NEW ATLASES
OWN BELOW:
PHILIPPINES.

AS AMOUNTS OF NEW DATA WARRANT, MOST LIKELY EVERY 12 - 18 MONTHS.

THESE GRAPHICS MAY NOT BE TRULY REPRESENTATIVE OF THE ACTUAL FLOW IN SUCH AREAS AS THE NORTH SEA, PERSIAN GULF, GULF OF THAILAND, AND YELLOW SEA WHERE CURRENTS ARE STRONGLY TIDAL. FOR SUCH AREAS, OTHER SOURCES DESCRIBING PREDICTABLE HOURLY CHANGES OF TIDAL CURRENTS SHOULD BE CONSULTED.

HE LATEST,
S MORE
BE MADE

INDEX



Introduction

The Surface Current Data File, from which these atlases are derived, consists primarily of over four million ship set and drift observations. These data were collected by the Netherlands, Japan, Britain, France, and the United States. The file is supplemented by several thousand Geomagnetic Electrokinetograph (GEK) observations, mostly Japanese. The file spans the period from the early 1850's to the present. The earliest observations were collected by the Netherlands and Great Britain; those of the 1960's through the present are primarily United States data.

If there are 12 or more obs
by vector resultants as f.o.


General Quality

The quality of this data file is considered high for this type of derived value. The data have been carefully screened for duplication; observations taken under adverse conditions (i.e. high winds and waves, time between observations greater than 12 hours) have been eliminated when warranted. Consideration was given to the reliability of the observer; doubtful shipboard computations of set and drift were edited; and observations with erroneous locations (mostly observations on land) have been eliminated. The accepted data are considered most useful when used collectively as in summaries where a number of observations show trends.

General Observation Technique

The set (direction) and drift (speed) are computed by the navigator from the difference between the dead reckoning (DR) position and the position determined by any type of navigational fix. The drift can be determined along any straight line track and includes all factors which cause changes in the DR position. When a fix is obtained, the current set (direction) is FROM the DR position TO the fix; the drift (speed) is equal to the distance in nautical miles between the DR and the fix, divided by the number of hours since the last fix. For successive observations, the TO POSITION of one observation becomes the FROM POSITION of the next observation.



Because the influence of current may vary along a ship's track, the MEAN POSITION of the track is assigned as the geographic location of the current observation. An example of a current computation is shown in the figure below.




EXAMPLE OF A SURFACE CURRENT (SHIP'S DRIFT) OBSERVATION

Data Presentation


The following legend shows two types of surface current presentations by 1° quadrangle, type 1 with 12 or more observations and type 2 with fewer than 12 observations. Where there are 11 or fewer observations within a 1° quadrangle, the total number of observations is shown within the 90° quadrant containing the observations.






- (1) Persistent Current - 60 percent or more of all observations fall within a 45° sector of the 8-point compass. (2) Pr



- (4) Bizonal Flow - Practically all obs are concentrated in opposite pairs sectors, and one pair contains at 80 percent as many observations as pair. This generally indicates va that occurs in zones of entrainment opposing currents (see examples A quadrangles 1, 2, and 3).



If there are 12 or more observations in a 1° quadrangle, the surface current is depicted by vector resultants as follows:





(1) Persistent Current - 60 percent or more of all observations fall within a 45° sector of the 8-point compass.

(2) Prevailing Current - 70 percent or more of all observations fall within two adjacent 45° sectors.


(3) Primary Current with Secondary Direction -
(a) Primary Current - 50 percent or more of all observations fall within three adjacent 45° sectors.

(b) Secondary Direction - 20 percent or more of all observations fall within a 45° sector, and the two resultant vector directions are separated by more than 90° of arc.



(4) Bizonal Flow - Practically all observations are concentrated in opposite pairs of 45° sectors, and one pair contains at least 80 percent as many observations as the opposite pair. This generally indicates variability that occurs in zones of entrainment between opposing currents (see examples A and B, quadrangles 1, 2, and 3).

(5) Variable Current - The 45° sector with most observations has less than 25 percent of all observations; direction is indeterminate.



2

170 W


165 W

160 W

155 W

150 W

145 W



170 W

165 W

160 W

155 W


150 W

145 W


140


WINTER-JUL, AUG, SEP


2




150 W 145 W 140 W 135 W 130 W
JUL, AUG, SEP










2










2



UAL-JAN THROUGH DEC

DISTRIBUTION LIST

NAVY

CINCPACFLT (02M)
COMTHIRDFLT
COMSEVENTHFLT
COMSUBPAC
COMNAVAIRPAC
COMPATWINGSPAC
PATWINGSPAC DET ADAK
PATWING 1
COMNAVSURFPAC
DIRNAVOCEANMET
FLENUMEACEN
FLEWEACEN GUAM
FLEWEACEN PEARL
NAVWEASERVFAC SAN DIEGO
NAVWEASERVFAC YOKOSUKA
NWSO ASHEVILLE
NWSO ADAK
NWSO AGANA
NWSO ATSUGI
NWSO KADENA
NWSO MISAWA

OTHER GOVT.

NOAA/NODC
NOAA/NCC

PRIVATE & UNIVERSITIES

FLORIDA ST. UNIV.
LOUISIANA ST. UNIV.
MASS. INST. OF TECH
ORE. ST. UNIV.
TEXAS A&M UNIV.
UNIV. OF MIAMI
UNIV. OF R.I.
UNIV. OF WASH.
SCRIPPS INST OF OCEANOGRAPHY
WOODS HOLE OCEANOGRAPHIC INST.

FOREIGN

HYDROGRAPHER/R.A.N.
DEPT. TRANSPORTATION/AUSTRALIA

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER NOO SP1403-SP2	2. GOVT ACCESSION NO. AD-A085382	3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) SURFACE CURRENTS NORTHWEST CENTRAL SOUTH PACIFIC OCEAN		5. TYPE OF REPORT & PERIOD COVERED Final	
6. AUTHOR(s)		7. PERFORMING ORG. REPORT NUMBER	
8. AUTHORING ORGANIZATION NAME AND ADDRESS Naval Oceanographic Office / NSTL Station, MS 39522		9. CONTRACT OR GRANT NUMBER(s)	
10. CONTROLLING OFFICE NAME AND ADDRESS Naval Oceanographic Office		11. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
12. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. REPORT DATE November 1977	
		14. NUMBER OF PAGES 14	
		15. SECURITY CLASS. (of this report)	
		16a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
17. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.			
18. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
19. SUPPLEMENTARY NOTES			
20. KEY WORDS (Continue on reverse side if necessary and identify by block number) Surface Currents Northwest Central South Pacific Ocean			
21. ABSTRACT (Continue on reverse side if necessary and identify by block number) This atlas, and the series of which it is a part, is computer generated and automatically plotted. It makes available to the user the most recent surface current data collected and will be updated whenever sufficient amounts of data are added to the data file. This and the other atlases are based on a vast quantity of data as compared to the previous manually-compiled editions printed in the mid-thirties.			

FORM 1 JAN 73 1473 EDITION OF 1 NOV 66 IS OBSOLETE
S/N 6162-014-0001

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. Cont.

> The surface current information is based mainly on ship drift, which is the difference between the dead reckoning position and the position determined by any type of navigational fix. This difference describes the direction and speed of the current.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

L MED
-8